		Receivir	ig Repor	t 0.1/1	702	
	plier: MARMON Yes Von No Cash Cr	Rele Wa Shi	Batch No Dart P/O ease Note Att ybill Attached pment Compl to Inspection ork Order	ached: Yes : Yes lete:	No No	NIA — NIA — NIA NIA — NIA
Discrepancies Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M 324 T	50 700w.060	/,500				
		Initia	s of receiver	(if shipment	OK) Level	12/1
Production/A Date Received/Co Initial		r gf	* +		Locat	ion

Marmon/Keystone Canada Inc. RECEIVED AUG 2 5 2011 ACIERS SPECIALISÉS

290 Chemin du Tremblay Boucherville QU J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357

EXPÉDIÉ À / SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

1000 FT

606 LBS 50 Pieces

120 FT

11 LBS 10 Pieces

Facture invoice 528935 Date de la factore Invoice Date 8/23/11

PAGE .:

runvoiced on 53047

264.00

3,032.31

1

VENDU À / SOLD TO

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

1000 FT

120 FT

ON CAN K6A 1K7

304 ornamental tube A554 A & P

ALUMINUM SMLS TUBE T6 DRAWN B-210

.750

.500

ATS

.750

.058

.065 304AP

D6061

O.S.T./T.V.Q. 1016343044 TQ0001 LE EAR/FOB G.S.T. R137204947 EXPÉDIÉ PAR / SHIP VIA BOUCHERVILLE TST OVERLAND #222212 NO DE TAXE MARMON / KEYSTONE # VENDEUR/SALESPERSON PROVINCIALE VOTRE Nº DE COMMANDE/ YOUR ORDER NO 6122-5207 16328RS **PROVINCIAL** GHI TAX NO 14688 PRIX À L'UNITÉ! UNIT PRICE QUANTITÉ EXPEDIÉE: AMOUNT SHIPPED QUANTITY PRESCRIPTION COMMANDEE ORDERED STAINLESS STEEL SEAMLESS TUBE A/SA213 AW,A/P & OD#320 POLISH SMLS TUBE 304L 1/2 X .035 A213 206.00 1.030/FT 200 FT 200 FT 304L .035 .500 35 LBS 10 Pieces STAINLESS STEEL TUBE A554 MILL FINISH

483.46 + tay 62.85

TP.S.

2.200/FT

2.200/FT

60400-45 13.46

GST. 348.85 HAT TAXE PROVINCIALE PROVINCIAL TAX .00

Energy Surcharge FACTURE ORIGINALE / ORIGINAL INVOICE

PLUS 2% PAR MOIS SUR COMPTES EN SOUFFRANCE

TERMES: NET À 20 JOURS - TERMS: NET 30 DAYS PLUS 2% PER MONTH ON ALL OVERDUE ACCOUNTS VEUILLEZ CONSULTER NOTRE SITE INTERNET WAY INCREMENTAL CONTRIBUTIONS OF SALES REFER TO OUR LESS OF SALES REFER TO OUR WEB PAGE www.mkcanade.com

LE RÉGLEMENT DE CETTE FACTURE EST EXIGIBLE AU PLUS TARD LE PAYMENT OF THIS INVOICE IS DUE BY

Services de distribution Marmon/La société Berkshire Hathaway

PAID OCT 0 5 2011

ENTERED OCT 0 4 2011

Marmon/Keystone Canada Inc. ACIERS SPÉCIALISÉS 290 Chemin du Tremblay Boucherville QU J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357 ORG INV.528935

RECEIVED

Facture invoice

536023

Date de la ficture Invoice Date

9/30/11

1

VENDU À / SOLD TO

EXPÉDIÉ À / SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

DART AEROSPACE LTD 1270 ABERDEEN STREET

PAGE .:

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

			f.A.B./ F.O.B.		Q.S.T./T.V.C G.S.T. R137	L 1016343044 T00001 LE 204947	
edié par/ship via CST OVERLAND #		a de la companya de l	BOUCH	ERVILLE			200 A CONTROL OF THE
TRE Nº DE COMMANDE/		vendeur/salesperson	M	ARMON / KEYSTONE #	Nº DETAXE		
tre nº de commande/ 14688	AODU ONDEK IKO	GHI		16328	PROVINCIA TAX NO		
COMMANDÉE		DESCRIPTION		QUANTITÉ SHIPPED	EXPÉDIÉE/ QUANITTY	PRIX À L'UNITÉ! UNIT PRICE	MONTANT / AMOUNT
000-FT OIN	STAINLESS STEEL TUBE A 304 ornamental tuk STO .750 .750 C/N #19270 CODE "O" APPLICATION; CANNOT AC MATERIAL RETURNED TO 1	DE A554 A & P O .065 304AP FT MATERIAL NOT SUITABLE CCEPT ROUND CORNER MAT	q	OMER'S 528935	Les lace next to	2.200/FT	2,200.0
FACTUR	E ORIGINALE / ORIGINAL	_ INVOICE				TPS GST. HST	
	URE TERMS: NET 30 DAYS PLUS 2% PER MONTH ON ALL OVERDUE ACCOUNTS	VEUILLEZ CONSULTER NOTR WWW.THKOZNEGS COTT POUR LE FOR CONDITIONS OF SALES	e combinions o	E VENTE		TAXE PROVINCIALE	

MARNEN Services de distribution Marmon/La société Berkshire Hathaway

LE RÈGLEMENT DE CETTE FACTURE EST EXIGIBLE AU PLUS TARD LE PAYMENT OF THIS INVOICE IS DUE BY

10/31/2011

PAID OCT 0 5 2011

CREDIT NOTE

2,486.00-

Purchase Order Receipt Listing

Monday, August 29, 2011 8:06:07 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO14688 Receipt Dates from 8/29/2011 to 8/29/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt		\$206.00	\$264.00	/	320.0000 0.0000 0.0000 \$470.00
MRB Qty/	MRB Reject Oty	0	0	0	Quantity: O U/M): Quantity: pt Value: Quantity:
Inspected Oty/		0.0000	0.0000	0.0000	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:
Cost Per Unit/		\$1.03	\$2.20	\$264.00	Total
Door	(PO U/M)	200.0000	120.0000		
6	Recv Date/ Recv Emp	8/19/2011 8/29/2011 200.0000 DESJ02	8/19/2011 8/29/2011	DESJ02	
1	Required Date Required Qty	8/19/2011 8/ 200.0000	8/19/2011	120.0000	
	PO U/M / Stock U/M	VC-MAR001 Marmon/Keystone Canada Ltd. M304TR0.500W.035 f 304 RD Tube .500 x f .035W	.500W.0 f	Tube f	
	Project ID Reference/ Description/ Cert Std	VC-MAR001 Marmon/K M304TR0.500W.035 f 304 RD Tube .500 x f .035W	118702 M6061T6T0.500W.0 f	58 6061-T6 RD Tube .500 x.058W	118702
	Purchase Line Pro Order ID/ Nbr/ Curr Type Insp Req	VendorID\Vendor Name PO14688 1 CAD No	cr	o 2	

1



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153

FAX. 450/641-4357

PAGE..: 1

652

Order : 16328RS Date..: 08/23/2011

PACKING SLIP

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

DART AEROSPACE LTD

1270 ABERDEEN STREET

SOLD TO:

HII	OVERLAND #	F.O.B. BOUCHERVILLE	<u>SALESPER</u> G. Dulud		R ORDER NO. 88
	Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
		Fax all papers to Linda Lacelle 613-632-1053 rev:	1/11 GD		
L	200 /FT	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304. HT#: YX1004-364 Total	10 10	200/FT 1 200/FT	
:	1000 /FT	STAINLESS STEEL TUBE A554 304 ornamental tube A554 A & P STO .750 .750 .065 304AP Tariff Number: 7306.40.90.10 HT#: YU255775 Total	<u>50</u>	1000/FT 1000/FT	PAG Bs~
3	120 /FT	ALUMINUM SMLS TUBE ATS .500 .058 D6061 Tariff Number: 7608.20.00.90 HT#: F00008322. HT#: F00011753 Total	4 6 10	48/FT 72/FT 120/FT	
				1-11/3	129
		×			
					13
		v-			

Customers.:	

No. of Bdls/Pieces

2 / 0

Total Weight....:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14688

Purchase Order Date 8/16/2011 PO Print Date 8/16/2011

Page Number 1 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

Contact Name

Vendor Phone Vendor Fax

800 361 8142

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line Nb	r Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Req Qty/ Taxable Unit of Measure	Ship Method	Unit Price	Extended Price
1 N	M304TR0.500W.035	304 RD Tube .500 x .035W	8/19/2011 V 200.00 Yes	TST ground f C///s/38	\$1.0300	\$206.00
		Special Inst:	MATERIAL: AISI 304/316 SS SE ROUND TUBING AS PER ASTM A213 OR ASME ASTM A269			
2 1	M304TS0.750W.065	304 SQ Tube .75x.75x.065W	8/19/2011 1,000.0 Yes	0 TST ground	\$2.3757	\$2,375.70
		Special Inst:	MATERIAL: AISI 304/316 SEAN STAINLESS STEEL SQUARE TUBING AS PER AST MILL FINISH OR ASTM A269 MILL FINISH			/
3	M6061T6T0.500W.058	6061-T6 RD Tube .500 x.058W	8/19/2011 \(\bigcup_120.0\) Yes	o TST ground	\$2.2000	√ \$264.00

No substitution or deviation without consent.

Certification required when applicable

Change Nbr:

Change Date: 8/16/2011

Certificate of Conformity or Material



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14688

Purchase Order Date 8/16/2011 PO Print Date 8/16/2011

Page Number 2 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency Net 30 CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

QQ-A-200/8 OR QQ-A-225/8

PO Total:

\$2,845.70





No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

1

Change Date:

8/16/2011

TRANSMISSION VERIFICATION REPORT

: 08/17/2011 08:05 TIME : 08/17/2011 NAME : FAX : TEL : SER.# : F9N212739

DATE,TIME FAX NO./NAME DURATION PAGE(S) RESULT MODE

08/17 08:04 14506414357 00:00:30 02 OK STANDARD ECM



PAGE.:

Date.: 8/16/11

Quotation number.: 1-627918

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 Tel -514-527-9153 4228 Wats 1-800-361-8142 FAX -450-655-5362 E-mail: rsantiniamkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

Fax.....: 613 632 1053

ATTN.: Sold To: CHANTAL LAVOIE

DART AEROSPACE LTD

1270 ABERDEEN STREET

Ship To:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Shîp Via

VOTRE CHOIX

F.O.B

Salesperson

Your Reference No.

BOUCHERVILLE

R. Santini

Termes

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ojuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written noncancellable order to accept this quotation.

Nous vous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

Quantité/ Quantity	Description		rix ricing
ne - 1 1000 FT	STAINLESS STEEL TUBE A554 MILL FINISH STO .750 .750 .065 304AP Livraison approx. 3-4 jours.Sujet a	l 2.200∕FT la vente prioritaire.	2,200.00
Ģ.			
	Energy Surcharge		13.46
Caxes applicables: En	n sus/ All applicable taxes Extra:	Montant total/ Total Amount:	2,213.46
es priv soumis sont	en fonds canadiens sauf si precise autrement/	Poids total/	2,213.40

All prices quoted in Canadian Dollars unless otherwise stated.

Total weight....:

606.0 lbs



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

Date.: 8/11/11

Quotation number .: 1-627434

E-mail: rsantiniamkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

Fax....: 613 632 1053

ATTN.: Sold To: CHANTAL LAVOIE

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN STREET

1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

TST OVERLAND #222212

DART AEROSPACE LTD

F.O.B

Tel -514-527-9153 4228 Wats 1-800-361-8142 FAX -450-655-5362

Salesperson

Your Reference No.

BOUCHERVILLE

R. Santini

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written non-cancellable order to accept this quotation.

	Quantité/ Quantity		Desc	ription			Jou	rs Livra Days		Prix Pricing	
ine.	- 1 200 FT	STAINLE STS .50 Sto	0 .035	SEAMLESS TUBE 304L	A/SA213	AW,A/P	& OD#	1	1.030/F	т	206.00
ine	- 2 1000 FT	STAINLES STO .75 Sto	0 .750	TUBE A554 180 .065 304180	GRIT			1	1.800/F	· τ :	L,800.00
ine	- 3 120 FT	ALUMINU ATS .50 Sto	0 .058	UBE T6 DRAWN B D6061	-210			1	2.200/F	т	264.00
		Ene	rgy Surc	harge							13.46

Taxes applicables: En sus/ All applicable taxes Extra: Montant total/ Tarifs douaniers/ Duty Total Amount...: 2,283,46 Poids total/ Les prix soumis sont en fonds canadiens sauf si precise autrement/ Total weight...: All prices quoted in Canadian Dollars unless otherwise stated. 652.2 lbs

M6061T6T0.375W.058	29.82105263	0	167.548	100
M6061T6T0.575W.035	6	0	140	100
M6061T6T0.500W.058	70.66631579	0	38.2	80 JaC
M6061T6T0.625W.049	13.05263158	0	55.16	10
M6061T6T1.000W.188	14.77894737	0	86.522368	40
M6061T6T1.000W065	22.70126316	0	101.25	40
M6061T6T3.500W.375	5.368421053	0	13.2631	12
M6061T6T5.000W.125	3.957894737	0	20	6
M7075T73B2.500X03.25	2.302736842	0	8.19	6
M7075T73B4.000x4.000	4.715789474	0	26.8665	6
M7885/2-4-3	12	0	542	80
M7885/3-4-4	14	0	333	100
MACRLICS.125	6.154736842	0	251.4934	96
MACRLICS.236	16	0	165.33333	96
MDELRINB0.250X01.000	0.147368421	0	11.2	6
MDELRINRO.750	1.763157895	0	89.698	24
MDELRINR1.000	3.338526316	0	44.268	12
MLEXS.060-9034-08	0.666	0	34.54	0
MLEXS.118-90318-08	21.05263158	0	1938.942621	108
MLEXS.125-9034-01	7.831578947	0	246	64
MLEXS.125-F60029-04	52.49690789	0	1285.115789	1000
MNEO60S.063	10.10526316	0	270.29	100

M1010B0.500X03.000	7.56	0	49.3	12
M1010B1.000X02.000	3.157894737	0	14.1	6
M1010R0.375	3.157894737	0	8.86	0
M1010S16GA	1.421052632	0	134.3	32
M1010S18GA	3.966315789	0	318.5	32
M174B0.500X02.000	1.954947368	0	51.72	20
M174B1.250X02.000	10.42105263	0	31.392	20
M174B1.500X02.250	3.859368421	0	30.9603	20
M174B2.500X1.250	1.684210526	0	11.347	6
M174PH-H900B3.937X4.750	1.66665	0	17	8
M174PH-H900R1.000	12.76894737	0	32.7	4
M174PH-H900R1.375	2.105263158	0	24.497	4
M174R0.750	21.57473684	0	24.465	20 246
M2024T3S.032	56.25442105	0	198.4	64
M2024T3S.040	6.138947368	0	190.918421	64
M2024T3S.050	3.389473684	0	104	64
M2024T3S.063	73.38147368	0	242.38	192
M303B0.750X1.500	0.087332	. 0	25.42	6
M303H0.500	5.684210526	0	71.13	12
M303R0.375	0.189473684	0	29.511	12
M303R0.625	0.315789474	0	15.2	6
M303R0.750	18.84842105	0	141.77	60
M303R1.000	7.629473684	0	41.739	12
M304B0.250x0.500	26.37368421	0	252.5147	60
M304B0.625X3.000	2.631157895	0	0.55	6 12 1
₩304 <u>FX0.75-16</u> F	425.8821579	0	690.2433	192 3 20
M304R.250	0.842105263	0	10.042736	12
M304R0.375	7.501052632	0	38.26	40
M304R1.000	1.830526316	0	59.05	12
M304R1.250	1.4492	0	43.14	12
M304R1.500	2	0	11.852	12
M304RO.750	18.42105263	0	74.473	24
M304S14GA	0.169684211	0	48.7	32
M304S18GA	12.69242105	0	228.655	32
M304S20GA	35.39115789	0	275.9072	32
M304S22GA /	61.24631579	0	199.36	96
M304525GA	2.032631579	0	125.5	12
M304TR0.500W.035	111.5255789	0	96.537528	90 36 06
M304TR0.500W.049	0.532631579	0	256.598426	60
M304TR0.750W.049	111.9246579	0	281.84963	160
M304TR0.750W.065	15.08757895	0	131.5	24
M304TR0.750W.120	6.315789474	0	60.00000027	24
M304TR1.000W.049	3.621052632	0	28.133684	24
M304TS0.500W.049	73.99494737	0	1133.0324	200
M304TS0.750W.049	151.4963526	0	459.543949	120
M304TS0.750W.065	560.0893789	0	491.9379906	200 100 C
M4130NB0.500X03.000	97.18736842		47.25	10 Y&B



FORMULE COMBINES ET ARRECCE DE CONNADSEMENT SURFER - CUNTRAT D'ENFEDITRIN DE MESSACIARES, ADDR'ÉE PAR LES CREMINS DE ches deut de chardlesides (Combines resignis Chardlesides) de provinciées de deute et soule par de partie de l'autre s'est qui arque entre la transport des deutes de deutes et des MESSACEMES ET OUT RECRET DE L'ARQUERT LE TRANSPORT DES DACES ANDERS DE MESSACEMES ET OUT DE LA COMMISSION CONSIGNES À CARADIENTE DES TEAMSFORTS. EMIS À LA DEMARDE DE MESOTE FOUR DE LA COMMISSION CONSIGNES À CARADIENTE DES TEAMSFORTS. EMIS À LA DEMARDE DE MESOTE DES DE MESSACEMES DE MESSACEMENT DE MESSACEMES DE MESSACEMENT DE MESSACEME

SONT ROUS LA JURIDICTIUR DE LA CONMISSION CONSIGNES A CANADIENTE ET BÉS MESSACIERIES ET OUI
DEMANDE DE L'EXCEDITEUR
DE LA CONMISSION CONSIGNES À CANADIENTE DES MESSACIERIES ET OUI
DEMANDE DE L'EXCEDITEUR
DE LA CONMISSION CONSIGNES À CANADIENTE DES MESSACIERIES ET OUI
DE CONTROL ÉTITE des de Charge des transport d'encient partie que de cette de tout de tout de control de la consideration de la control de l

290 Chemin du Tremblay Boucherville J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357 PAGE .:

Shipping date...: 08/23/2011
Name of Carrier..: TST OVERLAND #222212
F.O.B...... BOUCHERVILLE

COMBINATION REORT FORM OF STRAIGHT BILL OF LABING-EXPERSS SHEPPING CONTRACT ADDRÉED BY COMBINATION REORT FORM OF STRAIGHT BILL OF LABING-EXPERSS SHEPPING CONTRACT ADDRÉED BY COMBINATION AND EXPERSES CARRILLER STRAIGHT TO THE JURISDICTION OF THE CARACIAN TRANSPORT COMBINESTICS INCOMES AND EXPERSES CARRILLER STRAIGHTS OF THE JURISDICTION OF THE CARACIAN TRANSPORT IN ADDRESS OF THE STRAIGHT SHE IN ADDRE carried by an express carrie

Telephone....: 613 632 5200

WKESBURY ON CAN KGA 1K7	In/Weight Pleacet/PCS	Si les finis sont payables d'advance cerire qu estamper lei; / ll' charges are to be prepaid write or stamp here:	
cription du chargement et marques speciales/Description of shipments and special marks Pold		Collect	
x all papers to Linda Lacelle 613-632-1053 rev:01/11	SD CE		
-STAINLESS STEEL SEAMLESS TUBE ILS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L 08/23/2011 200 FT W2 Country of Origin: CHN HT#: YX1004-364	34.8 10	Rects/Received \$ Doit etre credite aux finia sur les biens el-contre.	_
2-STAINLESS STEEL TUBE A554 04 ornamental tube A554 A & P 8TO .750 .750 .065 304AP 08/23/2011 1000 FT FS Country of Origin: HT#: YU255775	606.0 50	Agent on calesise/Agent or Carbiet Par./Per.	
3-ALUMINUM SMLS TUBE ATS .500 .058 D6061 08/23/2011 120 FT RM Country of Origin: USA HT#: F00008322 RM Country of Origin: USA HT#: F00011753	. 11.4 . 4 6	A l'usage du voiturier/For carrier's use Avances et du Au dels/ Advance and or beyond \$	
		Divers / Miso. \$ Suppl. Piece / Suppl. Piece \$ Suppl. Valeur / Suppl. Value \$ Test/Total \$	
		L'expediteur inscrit le montant (P.S.L.)	
•		L'Expediteur macrir le montant (2 %)	
		Montant/Amount \$ P Fmis/Fec \$	
		S Total/Total 3	
Bdls/Pieces Nombre de pieces a grandes dimensions / Poids tots 2 + 0 = 2 Number of entra large pieces.	U Total weight 652 I	V _{plustion} /Valuation 33	
Si le tariff' l'oxige indiquer le volume total, / Where required by sariff shipper must complet Dimensions/ Dimensions Volume(pied cubes)/ Total cubic fiex Fokle taxa	z tie following. p Dimensional weight	Namero du como Order number 16328RS	
Agent/ Transport		Signature du cilent/Customer	

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1 Order : 16328RS Date..: 08/23/2011

PACKING SLIP

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

08/23/2011 13:43

HAWKESBURY ON CAN K6A 1K7

MARMON/KEYSTONE

HII ST	P VIA OVERLAND #	F.O.B. BOUCHERVILLE	<u>SALESPER</u> G. Dulud	SON YOU e 146	r order no. 85
	Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
		Fax all papers to Linda Lacelle 613-632-1053	ev: 01/11 GD		
-	200 /FT	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304. HT#: YX1004-364 Total	10	200/FT 200/FT	
!	1000 /FT	STAINLESS STEEL TUBE A554 304 ornamental tube A554 A & P STO .750 .750 .065 304AP Taxiff Number: 7306.40.90.10 HT#: YU255775 Total	<u>50</u>	1000/FT 1000/FT	
	120 /FT	ALUMINUM SMLS TUBE ATS .500 .058 D6061 Tariff Number: 7608.20.00.90 HT#: F00008322 HT#: F00011753 Total	4 6 10	48/FT 72/FT 120/FT	

No. of	Bdls/Pieces
--------	-------------

2 / 0

Total Weight....:

652

744 64	tome	
~		 ÷

.035-

WLCS-QP-T34-06

,500-

XX1004-364

. :

MILL INSPECTION CERTIFICATE

	LICALE
2	
	1.

CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD. EN 10204 3.1

NO REPAIR BY WELLING MADE IN CHINA HA ADDRESS: 56# RENAIN RO	POMMANNI LENGTHEART TEST PEX ASTM MATERIAL FREE	REMARK: AS PER ASTM AZ NACEMBR 01-75				550.0,005.0 1,114x (,)10	(arm)	S CONSISTINGE	CENTRAL CADE	192	SINGMENTS	CHINDLE SETTINGS TELES SEE WAYS . ALICOMMOD	CUSTOMER: M
NO REPAIR BY WELLING HAB MAX 80 490/POLISHED MADE IN CHINA HAB MAX 80 490/POLISHED MADDRESS: 164 RENIMIN ROAD, HANYU TOWN, CHANGSHU CITY, MANGSU PROVINCE, CHINA 215319 MADDRESS: 164 RENIMIN ROAD, HANYU TOWN, CHANGSHU CITY, MANGSU PROVINCE, CHINA 215319	MATERIAL FREE FROM MERCURY CONTAMINATION	TOTAL TOTAL REMARK: AS PER ASTM AZIS-IDASME SAZIS-IDASMA AZOS-10 AS PER MR 01-75					(ग			0.055	5	FINYAS TEALS SSS	MARMONIKEYSTONE CANADA INC. 2011/5/3
BO 4ROFF	CONTAMI	DATE OF THE PARTY				ह	FIECES		0.603	H	圣	SS TUBING	NE CANAD
4704POLISHED TOWN, CHANGSHU CITT	MOLLY	369-10	MATE			3000	FT -	LHESIELA		0.043	-		N INC.
Y, JIANGSU			25			20	ш		0.000	0.030	ŀ	°	
PROVINCE		I, WE HEREBY CERTIFY THAT THE MATERI CONFORM TO THE SPECIFICATION ABOVE.	-	$\frac{1}{1}$	+	540/560 200/275	So.	250	610701	10.090	8,000	3	HEAT NO.: CONDITION CERTIFICA
CHINA 215		CERTIFY I	-		+		الـا	13	18.138	18.36 00000	18.089	요	HEAT NO.: CONDITION COLD CERTIFICATE NO.:
		HEAT THE A	-					(SOmac)			⇈	MA CALLO	YX1034-364 D FINISHED, 20 17 3041
86-512-5256		LATERIAL D LIĐOVE. REPRODUC					富富	NADNESS			-	HEMICAL COMPOSITION (W1%)	64), ANNEALED, PIC 201195058034006
QUALITY TEL: 186-512-52566360 FAX: +86-512-52568027		I, WE HERRBY CERTIFY THAT THE MATERIAL DESCRIBED RESERVED FOR WITHOUT THE WRIT CONFORM TO THE SPECIFICATION ABOVE. 2.THE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRIT					e e e	HANDNESS PLATTENING PLARING TEST TEST				N (WT%)	YXIO34364 COMOTION COLD FINISHED, ANNEALED, PICKLED, FLAIN END CERTIFICATE NO: 20199038034004 FRANC: IP 1941
QUALIT \$12-5256802		HIM TIPE					Ş	FLARING TEST				Q+1-	CINED NITY
QUALITY MANAGER 52568027	1	A SHILL INC.	JA PO SICIAL				GOOD /	isi G			1	8	
1 1	٠- ــــــــــــــــــــــــــــــــــــ	ANTINA	CORDANG		1		100	SIZE		+	-		
	Bin Sun	PPROVAL OF T	E WITH DEER				201102-BA-037	5 .				\s\	
	5	TTEN ATYROVAL OF THE COMPANY.	ORDANDS WITH THE RESULTS OF THE CONTRACT, AND				1	HYDROSTATIC				8	
			ECONTRAC				GOOD	C	Years				
			T, AND				9000	_ F					

PAGE 04/08

.500-.058-ATS-

-DPOPT * FOOOD83XX * 0004930 *

VS0540 * 8/27/2010

CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 8573 W. WILLIS ROAD CHANDLER, AZ 85226

USTOMER PO NUMBE	R; CU	STOMER PART NUMBER:	PRODUCT DESCRIPTION	l t	
60-11349-2	A	T/,5.058/734	Seamless Tube/Pi	pe	
KAISER ORDER NUMBE		SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:
205589	002	06/07/2010	F00008322	6061	T6
WEIGHT SHIPPED:	QUANTITY:	BA NUMBER	DIAMOAF/THKNS:	WIDTH:	LENGTH:
326.000 LB	286,000 PC	s 204875			12.000 FT
SHIP TO: MARMON/KEYS	TONE CORP		MARMON/KEYST		

Actual Physical Properties

			, ,-,-		•			
REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG*	Hardness	CONVIACE	REND
F00008322 F00008322	0001 0002	1 1	45.8 47.7	42.5 41.7	15.1 18.5	N/A N/A	N/A N/A	N/A N/A

Chemical Composition (wt%), Aluminum Remainder

		1980			J									
LIMITS	\$1	Ŧφ	Cu	Mn	Му	C≠	,Zn	T1.	Pb	Bi	Zx	7 ,3	Tot	
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	_		0.15	
Minimum 068297	0.40 .63	0.00	0.15	0.00 .05	0.80	0.04	0.00	0.00	AM 00.	NA .00	. ОО.	.00	0.00	

CERTIFICATION

Kaiser Aluminum Exbricated Products, LLC ('Kaiser') hereby cortifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown but Kaiser's general terms teconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Itom: 002

MARMON / KEYSTONE

Q.C. REVIEWED INITIA



CERTIFIED TEST REPORT

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85228

Applicable Requirements:

Description: MADE IN USA
OD: 0.500"; Wall: 0.058"; Round @
AMS-4082P ASTM-8210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1. For AMS 4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser bluminum Fabricated Products, LLC ('Kaiser') hereby Certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms Econditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

With It

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

Page 2 of 2

MARMON/KEYSTONE

PAGE 06/08

.500- .058-

=D6061 * F00011753 * 0005000 * MN2276 * //22/2011

To:

07/11/2011 From: MARMON/KEYSTONE CORPORATION

OR.REF= SLSPRS:

M/K OR= C.P.O.= C PARTS

KAISE ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT http://Certs.KalserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD

DETONIER PO MUMB		TOMER PART NUMBER:	PROBUCT DESCRIPTION						
51-14788-1	AT.	/,5,058/734		Seamless Tube/Pipe					
CAISER ORDER NUMB		SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:				
207647	001	06/01/2011	F00011753	6061	T6				
WEIGHT SHIPPED:	QUANTITY:	BAL NUMBER:	DIAM/DAF/THKNS:	WIDTH:	12.000 FT				
598.000 LB	524.000 PCS	207901	SOLE TO:		1,2,000				
SHIP TO: MARMON/KEYS 32944 US HIGH SPRING VALLE	WAY 6		MARMON/KEYST 10700 MARMON BOLINGBROOK	DR					

Actual Physical Properties

			,	,				
REFERENCE	DASH#	SAMPLE	UTS (KSI)	YTS (KSI)	BLONGS	Harines9	CONTINCS	BEND
F00011753 F00011753 F00011753	0001 0002 0003	1 1 1	46.6. 47.4 46.8	43.4 43.3 42.5	14.0 14.0 15.0	n/a n/a n/a	N/A N/A N/A	n/a n/a n/a

Chemical Composition (wt%), Aluminum Remainder

		<u> </u>		اباب ربي	بيعضطنا	uncer far	, 4 2 4 3 ,	******						
LIMITS	si	Fo	Cu	Mn	Мат	Cr	Żn	T1.	Fb	Bi	ZI	Eą.	Tot	
Maximum		0.70	D.40			0.35 0.04 .09	0.25 0.00 .07	0.15 0.00 .03	AN AN 00.	AA AA 00.	NA NA .00		0.15 0.00 .02	

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in Conformance with the applicable specifications forming a part of the description set forth in Kaiser's calca acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms accordations of sale. Test reports are on file subject to examination.

Nathaniel Stovens, Quality Manager

Plant Serial: 00010655

Kaiser Order Number: 207547

Line Item: 001

Page 1 of 2

ATS ,500 .058 DOOL

07/11/2011 From: MARMON/KEYSTONE CORPORATION

M/K OR: C.P.O.*

C PART

To:

OR.REF= SLSPRS=





CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

OD: 0.500"; Wall: 0.058"; Round @
OD: 0.500"; Wall: 0.058"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082F, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR Description: MADE IN USA CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3E, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014 No Weld Repair, Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser aluminum Fabricated Products, LAC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on tile subject to examination.

Nathaniel Stevens, Quality Manager With St. Plant Serial: 00010655

Kaiser Order Number: 207647

Line Item: 001

Page 2 of 2

Page:1/6

450-641-2153













MILL TEST CERTIFICATE

Customer, FIDELITY STAINLESS LTD.

Issued Date:2010-7-22

ADDRUSS: 3RD INDUSTRIAL PARK, XJAOBU VILLAGE, HUASAN TOWN, HUADU DISTRICT; GUANGZHOU, PR.C. TEL: +86-20-86847851 EAX: +86-20-86941744

Certificate No.:FSL-J0209

	Article:Welding Stainless Steel Mechanical Tubing	Ng Stainleas S	teel Mecha	inical T	gréde		Specification: ASTM A554-03	STM A554	2				a Libraria in the
			***		Net Weight	T _{KDB}	Heat No.	Annea	Annealed Temperature	Mod Time	Cooling	Surface Finish	Test (psi)
Mean No.	9210		To Maria	100	ŝ			+	,	1	•	1800:1	1
1.2#	1/2"1/2"×0.065"	.065"	20	8000	1467.92	MT304	YU255775		1			reacht.	!
*	1/2*1/2"×0.065"	065	20,	240	44,04	M1304	YU255776	<u> </u>	1	,		100	
	SHO UMURICANIE	252	ğ	000	285.21	10E1M	YU255775		l		1	3	
#	21.57					3	VIII GOADS		l	l	ì	180Gm	ı
五	1*1"×0.049"	49"	20'	1000	294.44	W1384	1 PMPOQ1 (1.3	-		1	1	M	1
異	1 1/2*1 1/2"×0.085"	v0.085"	20'	1280	755.71	MT304	YU255775	-			E C	Machanical Test	
			Chemica	↓_	Composition	8	4				_	9	Elemention (%)
	0	-	70		o,	S	2	ರ	¥	T. S. (Ks)	-	(Lo.(No.)	Confiden
Mik	-			1	-		8,00	18.00	1	1276		\$\ 3 8	≥ %
XAN	0.080	200	0.040		0.030	1.00	11.00	20.00	1		-		
	Octor of	3	0.034	_	0.003	0.43	8.11	18.17	1	83		43	٥
1574	0.000		200	+	0.003	0.43	B.11	18.17	1	93		42	0,
¥	0.000			+		24.0	8.11	18.17	I	9 2		ಪಿ	55
和	0.020	.38	0.004	+	2.000	3 6	B 45	18 18 18	!	87		<u>+</u>	25
築	0,018	1.48	0.039		0.000	0,40				2		42	57
2	0.020	1.38	0.034	_	0.003	0.43	8.11	18 17		210	the modification	the modures described berein herein here been maradadured	igye been mark
Remarks:	Remarks: 1. Corposion test: as per ASTN-A282, Practica E :accepted.	N-A262, Practi	ba∈:accep	ted.		\$ 5	We, Winner States Steel street co., Ltd., Indicate security co., and accordance with the standards and specifications specified as at	spandata	end specifications	specified as al	bove and meet li	above and meet the requirements as per and a strate	
2 Dimensi 3. Materiak	 Dimensions & Visual good. Materials are free from mercury confemination. 	rcury contemin 	etion.							p O	≿. ManagerM	York Inspector	DE
4. Made in china	china					_							1

.500- .035-

WLCS-QP-T24-06

STS-

MILL INSPECTION CERTIFICATE

FICATE

CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD.

EN 10204 3.1

CERT

TOV Non-medical Parties

AS PER ASTM A213-10,ASME SA213-10/ASTM A269-10 NACE MR 01-75 CUSTOMER ADDRESS: 56# RENMIN ROAD, HAIYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215519 TEL: +86-512-52566260 FAX: +86-512-52568027 MADE IN CHINA REMARK: SPECIFICATION max COMMODITY: STAINLESS STEEL SEAMLESS TUBING MATERIAL FREE FROM MERCURY CONTAMINATION NO REPAIR BY WELDING TEST PER ASTM A262, PRACTICE O#MN7061 ENGTH:20FT SIZE(min) EMENTS SULTS (LADLE)
SULTS(PRODUCT) MARMONIKEYSTONE CANADA INC. 2011/5/3 CASE 23-10# HRB MAX 80 0.450 . 000 PIECES ışı 400#POLISHED 2.000 0.620 0.603 하는 사 ₹ 3000 WEIGHT 0.027 0.045 (kg) 242 ನ 0.000 0.030 0.00 2.THE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY MPa 540/560 CONFORM TO THE SPECIFICATION ABOVE. I.WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN BEEN MADE IN ACCORDANCE WITH THE RESULTS OF THE CONTRACT, AND Z 10.019 10.090 12.000 8.000 HEAT NO.:

YX1004-164

CONDITION:COLD FINISHED, ANNEALED, PICKLED, PLAIN END
CERTIFICATE NO::

201105058024004 0.2% MPa 18.300 20.000 18.000 (50mm) CAL COMPOSITION (WT%) HARDNESS FLATTENING FLARING 17/77 5 gg TEST GOOD Cb+Ta QUALITY MANAGER LSAL GOOD င္ပ TEST GRAIN SIZE Lot No. HYDROSTATIC CURRENT IEST SEST ULTRASONIC GOOD EST

Q.C. Reviewed

ATS-



.058-



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMBER:		CUSTOMER F	ART NUMBER:		PRODUCT DESCRIPTION	N:				
60-11349-2		AT/.5.058	/734		Seamless Tube/Pi	ipe				
KAISER ORDER NUMBER:	LINE ITEM:		SHIP DATE:		KAISER TOT NUMBER:	ALLOY:		TEMPER:		
205589	002		06/07/2010		F00008322	(6061)	1	Т6		
WEIGHT SHIPPED:	QUANTITY:	,	B/L NUMBER:	て	DIAM/DAF/THKNS!	WIDTH	_	LENGTH:		
326.000 LB	286.000 F	PCS	204875			1		12.000 FT		
SHIP TO:				•	SOLD TO:					
MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA					MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA					

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00008322	0001	1	45.8	42.5	15.1	N/A	N/A	N/A
F00008322	0002	1.	47.7	41.7	18.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	£a	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68297	. 63	.30	.22	.05	.98	.07	.05	.03	.00	.00	.00	.00	.02



CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

Page 1 of 2

MARMON / KEYSTONE

Q.C. REVIEWED

DATE

INITIAL

8/27/10



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6673 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA

OD: 0.500"; Wall: 0.058"; Round @

AMS-4082P ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,

WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

Jula 179

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms toonditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Hitter Lt

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

Page 2 of 2

To:

07/11/2011 From: MARMON/KEYSTONE CORPORATION

INIT.::

OR.REF: SLSPRS:

M/K OR: C.P.O.: C PART:

ATS-

KAISER ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER. AZ 85226

CUSTOMER PO NUMB	TOMER PO NUMBER: CUSTON		PRODUCT DESCRIPTION:						
61-14788-1	AT	7.5.058/734	Seamless Tube/Pipe						
KAISER ORDER NUMB	ER: LINE ITEM:	SHIP DATE:	KAISER-LOT NUMBER: ALLOY: TEMPER:						
207647	001	06/01/2011	F00011753 (6061 (T6)						
WEIGHT SHIPPED:	QUANTITY: B/L NUMBER:		DIAWDAF/THKNS: WIDTH: ENGTH!						
598.000 LB	524.000 PCS	207901	12.000 FT						
SHIP TO:			SOLD TO:						
MARMON/KEYS 32944 US HIGH\ SPRING VALLEY	NAY 6		MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA						

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTIACS	BEND
F00011753	0001	1	46.6	43.4	14.0	N/A	N/A	N/A
F00011753	0002	1	47.4	43.3	14.0	N/A	N/A	N/A
F00011753	0003	1	46.8	42.5	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	£a	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69220	.58	.33	.22	.05	1.00	.09	.07	.03	.00	.00	.00	.01	.02



CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00010655

Kaiser Order Number: 207647

Line Item: 001

The Land

Page 1 of 2

ATS ,500 .058 D6061 T6

OR.REF: SLSPRS:



CERTIFIED TEST REPORT
http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

C.P.O.:: C PART::

Applicable Requirements:

Description: MADE IN USA
OD: 0.500"; Wall: 0.058"; Round @
AMS-4082F ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., PET AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Sulce/29

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

G. C. BENIEMED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

With It-

Plant Serial: 00010655

Kaiser Order Number: 207647

Line Item: 001

Page 2 of 2













ADDRESS: 3RD INDUSTRIAL PARK ,XIAOBU VILLAGE, HUASAN TOWN,HUADU DISTRICT,GUANGZHOU,P.R.C.
TEL: +86-20-86847851 FAX: +86-20-86941744

MILL TEST CERTIFICATE

Customer:FIDELITY STAINLESS LTD.

Order No.: PO#P01022

Certificate No.:FSL-J0209

Issued Date:2010-7-22

Specification: ASTM A554-03 Type Heat No. Annealed Temp (°F) MT304 YU255775 — MT304 YU255775 —	Specification: ASTM A554-0: Heat No. YU255775 YU255775 YU255775 YU160401 YU255775	Specification: ASTM A554-03 Be Heat No. Annealed Temperature (minute) Hold Tire 04 YU255775 — — 04 YU255775 — — 04 YU255775 — — 04 YU160401 — — 04 YU155775 — — 04 YU160401 — — 04 YU255775 — —	Specification: ASTM A554-03 Heat No. Annealed Temperature (°F) Hold Time (minute) YU255775 — — YU255775 — — YU160401 — — YU255775 — —	Specification: ASTM A554-03 Annealed Temperature (minute) Hold Time (minute) Cooling YU255775 — — — YU255775 — — — YU255775 — — — YU160401 — — — YU255775 — — —
Specification: ASTM Heat No. YU255775 YU255775 YU255775 YU160401	Specification: ASTM A554-03 Heat No. Annealed Temperature (°F) Hold Tire (minute) YU255775 — — YU255775 — — YU160401 — — YU155775 — —	Specification: ASTM A554-03 Heat No. Annealed Temperature (minute) Hold Time (minute) YU255775 — — YU255775 — — YU255775 — — YU160401 — —	Specification: ASTM A554-03 Heat No. Annealed Temperature (°F) Hold Time (minute) Cooling (minute) YU255775 — — — YU255775 — — — YU255775 — — — YU160401 — — — YU167775 — — —	Specification: ASTM A554-03 Heat No. Annealed Temperature (°F) Hold Time (minute) Cooling Surface Finish YU255775 — — — 180Grit YU255775 — — — MF YU255775 — — — MF YU160401 — — — MF YU255775 — — — MF
Annealed Temp (*F)	Temperature Hold Tir	Temperature Hold Time Cooling F) (minute) Cooling — — — — — — — — —	Temperature Hold Time Cooling F) (minute) Cooling — — — — — — — —	Temperature Properties Hold Time (minute) Cooling Surface Finish
	Hold Tir (minute)	Hold Time (minute) Cooling	Hold Time (minute) Cooling — — — —	Hold Time (minute) Cooling Surface Finish — — 180Grit — — — MF — — 180Grit — — — 180Grit

Page:1/6

Dimensions & Visual good.
 Materials are free from mercury contamination.

Q. C. Manager/Work Inspector

4. Made in china